

Date 86.12.10		Norsk Data A.S PROGRAM DESCRIPTION		Page 1 of 2	
Product	Name BASIC for ND-500	ND-no. 210755A	Category STPR		
Reason	. New product X Error Correction . Change/Addition . Different Environment . Other:				
Documentation	Title ND-500 BASIC User Manual	ND-no. 60.207.01			
Purpose	Compile and execute BASIC programs				
Prerequisites	Computer Type Floating format Op. system Version	ND-500 All Sin III VSX			
	Minimum mass storage resources for installation User Userspace Number of files SYSTEM 381 pages on 4 files				
		ND-no. for Source 250095A			
Prog.no.	File Name	Type	Containing		
206694A	BASIC-500-A<rev>	PSEG	Basic-500 Compiler		
206695A	BASIC-500-A<rev>	DSEG	Basic-500 Compiler		
206696A	BASIC-500-A<rev>	LINK	Basic-500 Compiler		
206697A	BASIC-LIB-A<rev>	NRF	Runtime System		

1 NOTES:

- <rev> is to be replaced by the current revision of the DIRECTORY or FILE. Revision is found on the "ND SOFTWARE LIBRARY DISKETTE" pages.
- Note that the BASIC-500-A02 domaine also includes the segment BASIC-SLIB-A02! In the A00-version of the compiler this segment was called BASIC-SEG-LIB.

Date 86.12.10		Norsk Data A.S PROGRAM DESCRIPTION		Page 2 of 2	
Product	Name BASIC for ND-500	ND-no. 210755A	Category STPR		

2 INSTALLATION PROCEDURE

```

- Enter the directory named 210755A<rev>-XX-01D, and do as follows:
  @CC Procedure for generating the BASIC-LIB-A<rev>:
  @COPY-FILE ←
  DESTINATION FILE: "BASIC-LIB-A<rev>:NRF" ←
  SOURCE FILE: (210755A<rev>-XX-01D:FLOPPY-USER)BASIC-LIB-A<rev>:NRF ←
  @CC
  @CC Procedure for generating the BASIC-500-A<rev> domain:
  @CC
  @ND LINKAGE-LOADER ←
  ND-Linkage-Loader - x
  N11:ABORT-BATCH-ON-ERROR OFF ←
  N11:DELETE-DOMAIN BASIC-500 ←
  N11:COPY-DOMAIN (210755A<rev>-XX-01D:FLOPPY-USER)BASIC-500-A<rev> "BASIC-500 A<rev>" ←
  N11:EXIT ←
  @CC
  @CC Procedure for making the BASIC-500-A<rev> a standard domain:
  @CC Now, You must be user SYSTEM!
  @ND ←
  ND-500 MONITOR Version x
  N500:DEFINE-STANDARD-DOMAIN BASIC-500-A<rev> BASIC-500-A<rev> ←
  N500:EXIT ←
  @CC Now, the BASIC compiler can be started as follows:
  @BASIC-500-A ←
  @CC or:
  @ND BASIC-500-A ←

```

ND SOFTWARE LIBRARY DISKETTE

Containing : BASIC for ND-500

Directory Name : 210755A02-XX-01D

User Name : FLOPPY-USER

Nr	File name	Type	T	File access:			Pages	Bytes
				Public	Friend	Own		
0	DESCRIPTION-FILE	DESC	I	R	R	RWACD	9	22528
1	SCRATCH-SEG-01	LINK	I	RWACD	RWACD	RWACD	1	0
2	SCRATCH-SEG-01	DSEG	I	RWACD	RWACD	RWACD	2	1029
3	SCRATCH-SEG-01	PSEG	I	RWACD	RWACD	RWACD	2	5
4	BASIC-SLIB-A02	LINK	I	RWACD	RWACD	RWACD	5	7937
5	BASIC-SLIB-A02	DSEG	I	RWACD	RWACD	RWACD	28	54441
6	BASIC-SLIB-A02	PSEG	I	RWACD	RWACD	RWACD	22	41726
7	BASIC-500-A02	LINK	I	RWACD	RWACD	RWACD	16	29377
8	BASIC-500-A02	DSEG	I	RWACD	RWACD	RWACD	121	340785
9	BASIC-500-A02	PSEG	I	RWACD	RWACD	RWACD	136	275339
10	BASIC-LIB-A02	NRF	I	R	RWACD	RWACD	39	75884
11	files using 381 pages. 610 pages reserved out of 610 pages.							